

# COMPANY PROFILE

*The Best Solution  
Provider  
for The Future*

*We want to be leading  
company with high  
quality and customer  
satisfaction*

*Poly bag Clear  
&  
Printing Project*



# ANT PATRIOT

*Supplier of Plastic Packaging HD & PE*

*Superior Customer Services*

# Introduction



**COMPANY NAME** : CV. ANT PATRIOT

**ADDRESS** : JL.MANGKUNEGARA N0.01,  
KP.RAWALINTAH RT01/RW02 , CIKARANG UTARA  
BEKASI 17530

**PHONE NUMBER** : 021 – 89845888

**FAXIMILE** : 021 – 89845999

**CONTACT PERSON** : DADAN RUSMANDANI

**PHONE NUMBER** : +62 813 17 888 004

**NPWP** : 21.140.319.1-414.000

**AREA** : 1000 M<sup>3</sup>

**BUILDING** : 555 M<sup>3</sup>

**PRODUCTION CAPACITY** : 100 TON / MONTH



***“Our Target is Best Quality & Price Competition in the World with High Technology”***

***Superior Customer Services***

## **LATAR BELAKANG**

CV. ANT PATRIOT adalah sebuah perusahaan yang bergerak dibidang jasa penyediaan plastik packaging yang berorientasi pada Electronic, Automotive dan Makanan (Food Packaging)

## **TUJUAN**

Tujuan dari berdirinya CV. ANT PATRIOT adalah untuk memenuhi kebutuhan plastic packaging khususnya Automotive, Electronics dan Makanan.

## **THE CUSTOMERS of ANT PATRIOT**

- **PT. HAGIHARA WESTJAVA INDUSTRIES**
- **PT. TRISAHABAT JAYAPRIMA , Bekasi**
- **PT. CABLETECH , Cikarang**
- **PT. FLEXI COMPONENT Kawasan Hyundai Cikarang - Bekasi**
- **PT. HIROSE ELECTRIC, Kawasan EJIP Lippo Cikarang - Bekasi**
- **PT. SAMINDO Kawasan Hyundai Cikarang – Bekasi**
- **PT. SAMJIN, Kawasan Hyundai Cikarang-Bekasi**
- **PT. BUMJIN, Kawasan Jababeka 3 Cikarang – Bekasi**
- **GOLDEN FRANCE (Bogor)**
- **SARIPAKUAN (Bogor)**

## **MACHINES**

- |                             |               |                                  |               |
|-----------------------------|---------------|----------------------------------|---------------|
| ❖ <b>Blowing Machine</b>    | <b>4 unit</b> | ❖ <b>Cutting Machine Auto</b>    | <b>5 Unit</b> |
| ❖ <b>Printing Two Color</b> | <b>1 Unit</b> | ❖ <b>Semi Automatic Printing</b> | <b>1 Unit</b> |
| ❖ <b>Printing One Color</b> | <b>1 Unit</b> | ❖ <b>Semi Automatic Sealing</b>  | <b>2 Unit</b> |

MACHINE NAME	CAPASITY	SIZE	MAKER
BLOWING 1	600 KG/DAY	50 - 105 CM	TAIWAN
BLOWING 2	350 KG/DAY	8 - 45 CM	TAIWAN
BLOWING 3	300 KG/DAY	5 - 25 CM	TAIWAN
BLOWING 4	300 KG/DAY	5 - 25 CM	TAIWAN

MACHINE NAME	CAPASITY	SIZE MAX	MAKER
PRINTING 1	500 KG/DAY	80 CM	TAIWAN
PRINTING 2	300 KG/DAY	70 CM	TAIWAN

MACHINE NAME	CAPASITY	SIZE MAXIMUM	MAKER
CUTTING 1	80.000 PCS / DAY	40 CM	HUSUNI INDONESIA
CUTTING 2	80.000 PCS / DAY	50 CM	TAIWAN
CUTTING 3	60.000 PCS / DAY	60 CM	TAIWAN
CUTTING 4	60.000 PCS / DAY	110 CM	TAIWAN
CUTTING 5	80.000 PCS / DAY	60 CM	TAIWAN

MACHINE NAME	CAPASITY	SIZE MAX	MAKER
SHOP HANDLE	25.000 PCS/DAY	80 CM	TAIWAN
SHOP HANDLE	25.000 PCS/DAY	80 CM	TAIWAN

## HD CERTIFICATION TEST

## PE CERTIFICATION TEST

## INK CERTIFICATION TEST

**Intertek**

NUMBER: JKTR15000456

Applicant: CV. ANT Patriot  
Jl. Mangkunegara No. 01  
Kp. Rawalintah RT01/RW02  
Cikarang Utara - Bekasi 17530  
Attn: Dadan Rusmandani/ Agung Nurjaho, S

Date: July 07, 2015

Sample description:  
One (1) bag of submitted sample said to be:  
Material Name : PE  
Date sample received : Jun 26, 2015  
Testing period : Jun 29, 2015 to July 07, 2015



Test conducted:  
As requested by the applicant, for details please refer to attached pages.  
Type of test: RoHS wet chemical analysis.

Prepared and checked by:  
For Intertek Indonesia

Made Widyani  
Operation Manager - Testing

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

IUS - CR-04 - 001

PT. Intertek Utama Services  
Jl. Cendrawasih No. 2 Gondokowena, Bekasi 13325, Indonesia  
Telp: (62-21) 391 8544 (Marketing), (62-21) 392 3700 (Direct), Fax: (62-21) 391 8345  
Email: int@intertek.com, info@intertek.com, website: www.intertek.com  
Attention is drawn to the terms and conditions printed overleaf.

Page 1 of 6


**Intertek**

NUMBER: JKTR15000456

Applicant: CV. ANT Patriot  
Jl. Mangkunegara No. 01  
Kp. Rawalintah RT01/RW02  
Cikarang Utara - Bekasi 17530  
Attn: Dadan Rusmandani/ Agung Nurjaho, S

Date: July 07, 2015

Sample description:  
One (1) bag of submitted sample said to be:  
Material Name : HD  
Date sample received : Jun 26, 2015  
Testing period : Jun 29, 2015 to July 07, 2015



Test conducted:  
As requested by the applicant, for details please refer to attached pages.  
Type of test: RoHS wet chemical analysis.

Prepared and checked by:  
For Intertek Indonesia

Made Widyani  
Operation Manager - Testing

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

IUS - CR-04 - 001

PT. Intertek Utama Services  
Jl. Cendrawasih No. 2 Gondokowena, Bekasi 13325, Indonesia  
Telp: (62-21) 391 8544 (Marketing), (62-21) 392 3700 (Direct), Fax: (62-21) 391 8345  
Email: int@intertek.com, info@intertek.com, website: www.intertek.com  
Attention is drawn to the terms and conditions printed overleaf.

Page 1 of 6


**Intertek**

NUMBER: JKTR15000457

Applicant: CV. ANT Patriot  
Jl. Mangkunegara No. 01  
Kp. Rawalintah RT01/RW02  
Cikarang Utara - Bekasi 17530  
Attn: Dadan Rusmandani/ Agung Nurjaho, S

Date: July 07, 2015

Sample description:  
One (1) bottle of submitted sample said to be:  
Material Name : INK  
Date sample received : Jun 26, 2015  
Testing period : Jun 29, 2015 to July 07, 2015



Test conducted:  
As requested by the applicant, for details please refer to attached pages.  
Type of test: RoHS wet chemical analysis.

Prepared and checked by:  
For Intertek Indonesia

Made Widyani  
Operation Manager - Testing

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)

IUS - CR-04 - 001

PT. Intertek Utama Services  
Jl. Cendrawasih No. 2 Gondokowena, Bekasi 13325, Indonesia  
Telp: (62-21) 391 8544 (Marketing), (62-21) 392 3700 (Direct), Fax: (62-21) 391 8345  
Email: int@intertek.com, info@intertek.com, website: www.intertek.com  
Attention is drawn to the terms and conditions printed overleaf.

Page 1 of 6

**Chandra Asri Petrochemical**

PT. CHANDRA ASRI PETROCHEMICAL TBK  
Rd. HIRI 2885 SSE - UNIK CERTIFICATE DISTRICT  
180 LARI, 1801 SSE - UNIK CERTIFICATE DISTRICT

**MATERIAL SAFETY DATA SHEET**

CAD - PE - MBDS - UP180T

HAZARD	PRECAUTION	CONTROL	REACTIVITY	ENVIRONMENTAL
1	2	3	4	5

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY UNDERTAKING  
PRODUCT NAME: LINEAR LOW DENSITY POLYETHYLENE WAX  
SUPPLIER'S COMPANY: PT. CHANDRA ASRI PETROCHEMICAL TBK  
ADDRESS: J.L. RAYA ANTAR KAL. 123 - CIWANGI - CILONG - BANJIN - INDONESIA 42447

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS  
HAZARDOUS INGREDIENTS

INGREDIENT	CAS NO	LIMIT VALUE TIME (%)	SYMBOL AND %-label
Systemic Pesticide	Not Listed	Not Listed	15 - 25
Propagol Isobutyl	634640	TWA 400 ppm	10 - 22
Diethylamine	141434	TWA 400 ppm	1 - 10
Toluene	108-88-3	TWA 50 ppm	30 - 45
Pigment	(Various)	Not Listed	4 - 45

SECTION 3: HAZARD IDENTIFICATION  
CLASS NAME OF HAZARDOUS CHEMICALS FOR SDS: P (Highly flammable preparation)  
H252 - Highly Flammable

SECTION 4: FIRST-AID MEASURES  
EYE CONTACT: Immediately wash eyes with running water for 15 minutes. If irritated develops, get medical attention.  
SKIN CONTACT: Wash with soap and water. If irritation persists, see a physician.  
INHALATION: Move to fresh air area. Call a physician.  
INGESTION: If swallowed, seek medical advice immediately.  
FURTHER MEDICAL TREATMENT: None

SECTION 5: FIRE FIGHTING MEASURES  
FLAMMABLE PROPERTIES  
FLASH POINT: - 7 °C (See flash test)  
FLAMMABLE LIMIT: 5% by volume, Lower: 1.7 - Upper: 12.7  
SUITABLE EXTINGUISHING MEDIA: Foam, Dry Chemical, CO2  
NOT TO BE USED: Water (G)

SECTION 6: EXPOSURE CONTROLS & PERSONAL PROTECTION  
RESPIRATORY PROTECTION: USE AN APPROVED RESPIRATOR IF UNABLE TO CONTROL AIRBORNE DUST, FUMES AND VAPORS  
EYE PROTECTION: WEAR EYE PROTECTION (SAFETY GLASSES, GOGGLES, FACE SHIELDS) WHEN PROCESSING  
SKIN & BODY PROTECTION: WEAR CHEMICAL RESISTANT GLOVES, HEAT PROTECTIVE CLOTHES AND PROTECTIVE CLOTHING AS WELL AS A HEADWEAR  
OTHER PERSONAL PROTECTION: USE SAFETY NON SLIP SHOES IN AREA WHERE SPILLS OR LEAKS OCCUR

**TOYO INK**

PT. TOYO INK INDONESIA  
LMA 2100 Industrial Town Blok. E 7  
Gondokowena - Bekasi 17530  
Phone: (62-21) 858-0100 (Marketing), Fax: (62-21) 893-0193

**PT TOYO INK INDONESIA SAFETY DATA SHEET**

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY UNDERTAKING  
PRODUCT NAME: PINK LITE Series  
SUPPLIER'S COMPANY: PT. TOYO INK INDONESIA  
ADDRESS: Block E 7 WMECO Industrial Town, Cikarang, West Java, Indonesia  
Telp. No. 62-21-8936199  
Fax: (62-21-8990186  
Information Telp. No.: 92-21-8980100

2. COMPOSITION/INFORMATION ON INGREDIENTS  
HAZARDOUS INGREDIENTS

INGREDIENT	CAS NO	LIMIT VALUE TIME (%)	SYMBOL AND %-label
Systemic Pesticide	Not Listed	Not Listed	15 - 25
Propagol Isobutyl	634640	TWA 400 ppm	10 - 22
Diethylamine	141434	TWA 400 ppm	1 - 10
Toluene	108-88-3	TWA 50 ppm	30 - 45
Pigment	(Various)	Not Listed	4 - 45

3. HAZARD IDENTIFICATION  
CLASS NAME OF HAZARDOUS CHEMICALS FOR SDS: P (Highly flammable preparation)  
H252 - Highly Flammable

4. FIRST-AID MEASURES  
EYE CONTACT: Immediately wash eyes with running water for 15 minutes. If irritated develops, get medical attention.  
SKIN CONTACT: Wash with soap and water. If irritation persists, see a physician.  
INHALATION: Move to fresh air area. Call a physician.  
INGESTION: If swallowed, seek medical advice immediately.  
FURTHER MEDICAL TREATMENT: None

5. FIRE FIGHTING MEASURES  
FLAMMABLE PROPERTIES  
FLASH POINT: - 7 °C (See flash test)  
FLAMMABLE LIMIT: 5% by volume, Lower: 1.7 - Upper: 12.7  
SUITABLE EXTINGUISHING MEDIA: Foam, Dry Chemical, CO2  
NOT TO BE USED: Water (G)

HAZARDOUS DECOMPOSITION PRODUCTS: Burning in insufficient air supply may produce toxic fumes of carbon monoxide.  
POTENTIAL EXPLOSION/IGNITION FOR PNEUMATICS: The flatter should wear self-cleaning and breathing apparatus to avoid inhalation of smoke and vapors.

Visible Science for Life

Intertek

Intertek

## Machine



Sample Production Ant Patriot

HD BAG



SHOPPING BAG



PE BAG



Structure Ant Patriot

